


BUTTWELD FITTINGS WEIGHTS & DIMENSIONS



Nominal Size		WT SCH	Concentric and Eccentric Reducers		Reducing Tees		
mm OD1 X OD2	inch OD1 X OD2		H	Weight	C	M	Weight
20 X 15	3/4 X 1/2	38	29	29	5S	0.08	0.09
					10S	0.10	0.11
					40S	0.14	0.15
					80S	0.18	0.18
					160	0.25	0.26
					XXS	0.36	0.37
25 X 15	1 X 1/2	51	38	38	5S	0.07	0.16
					10S	0.12	0.25
					40S	0.15	0.26
					80S	0.20	0.34
					160	0.26	0.47
					XXS	0.40	0.68
25 X 20	1 X 3/4	51	38	38	5S	0.08	0.16
					10S	0.13	0.25
					40S	0.16	0.27
					80S	0.22	0.35
					160	0.28	0.49
					XXS	0.45	0.70
32 X 20	1-1/4 X 3/4	51	48	48	5S	0.30	0.10
					10S	0.44	0.18
					40S	0.52	0.22
					80S	0.60	0.25
					160	0.79	0.33
					XXS	1.20	0.51
32 X 25	1-1/4 X 1	51	48	48	5S	0.10	0.31
					10S	0.18	0.45
					40S	0.22	0.53
					80S	0.27	0.61
					160	0.37	0.80
					XXS	0.54	1.23
40 X 20	1-1/2 X 3/4	64	57	57	5S	0.11	0.37
					10S	0.18	0.59
					40S	0.24	0.74
					80S	0.32	0.88
					160	0.45	1.23
					XXS	0.65	1.76

Nominal Size		WT SCH	Concentric and Eccentric Reducers		Reducing Tees		
mm OD1 X OD2	inch OD1 X OD2		H	Weight	C	M	Weight
40 X 25	1-1/2 X 1	64	57	57	5S	0.11	0.38
					10S	0.20	0.60
					40S	0.26	0.76
					80S	0.34	0.90
					160	0.47	1.26
					XXS	0.67	1.80
40 X 32	1-1/2 X 1-1/4	64	57	57	5S	0.12	0.39
					10S	0.21	0.61
					40S	0.28	0.78
					80S	0.36	0.92
					160	0.51	1.29
					XXS	0.73	1.84
50 X 20	2 X 3/4	76	64	44	5S	0.15	0.46
					10S	0.25	0.72
					40S	0.36	1.09
					80S	0.50	1.35
					160	0.79	2.12
					XXS	1.01	2.70
50 X 25	2 X 1	76	64	51	5S	0.17	0.47
					10S	0.28	0.73
					40S	0.40	1.10
					80S	0.54	1.37
					160	0.84	2.15
					XXS	1.07	2.74
50 X 40	2 X 1-1/2	76	64	60	5S	0.19	0.49
					10S	0.31	0.76
					40S	0.45	1.15
					80S	0.59	1.43
					160	0.93	2.25
					XXS	1.18	2.86
65 X 25	2-1/2 X 1	89	76	57	5S	0.25	0.83
					10S	0.38	1.20
					40S	0.65	1.87
					80S	0.87	2.66
					160	1.18	3.62
					XXS	1.75	5.33

NOTE: Weights and dimensions listed above are a guide only. Dimensions in mm. Weights in kg.

WOR: Weight on request

* There are 2 possible dimensions for this size, refer to ANSI B16.9

Weights and dimensions of larger Buttweld Fittings are available from your local Prochem office.